

# POST /MessagesService.svc/FetchMessage

Last Modified on 09/13/2021 5:09 am EDT

Fetch a broadcast task to the current user.

## Method

POST

## URL

*https://localhost/Flowtime/\_vti\_bin/Flowtime/MessagesService.svc/FetchMessage*

## Request Parameters

Name	Type	Required	Description
messageInstanceId	integer	required	Message ID for the user you want to fetch the task for.
PageSize	integer	optional	Number of records returned on a page.
PageNum	integer	optional	Number of the page to retrieve records for.

## Example Request

```
$.ajax({
  type: 'POST',
  url: "https://server:port/Flowtime/_vti_bin/Flowtime/MessagesService.svc/FetchMessage",
  contentType: "application/json; charset=utf-8",
  dataType: "json",
  data: JSON.stringify({ 'messageInstanceId': messageid }),
  headers: {
    "uiculture": "en-GB",
    "culture": "en-GB",
    "X-SqXsrfToken": xsrf
  },
  success: function (data) {
    alert(data);
  },
  error: function (error) {
    console.log(error);
  }
});
```

## Response Parameters

Name	Type	Description
Id	integer	The message ID, relevant when updating a collection of action items.
Cancelled	boolean	0 = cancelled, 1 = not cancelled

Name	Type	Description
CancelReason	string	The reason the procedure was cancelled.

### Example Response

```
CommandResult:  
{  
  Id:[number],  
  Cancelled:[boolean],  
  CancelReason:[string]  
}
```