

# POST /MessagesService.svc/ReassignRecipient

Last Modified on 09/13/2021 5:14 am EDT

Reassigns the message from one recipient to another recipient.

## Method

POST

## URL

*https://localhost/Flowtime/\_vti\_bin/Flowtime/MessagesService.svc/ReassignRecipient*

## Request Parameters

Name	Type	Required	Description
<code>activityInstanceId</code>	integer (long)	required	Activity Instance ID.
<code>fromUserId</code>	integer	optional	User ID of the user that you want to remove from the message.
<code>toUserId</code>	integer	optional	User ID of the user that you want to reassign the message to.
<code>PageSize</code>	integer	optional	Number of records returned on a page.
<code>PageNum</code>	integer	optional	Number of the page to retrieve records for.

## Example Request

```
$.ajax({
  type: "POST",
  url: "_vti_bin/Flowtime/MessagesService.svc/ReassignRecipient",
  data: JSON.stringify(
    {
      activityInstanceId: 123,
      fromUserId: 724,
      toUserId: 1130,
    }
  ),
  headers:
    {
      "uiculture": "en-GB",
      "culture": "en-GB",
      "theme": "/Flowtime/Shared Resources/Themes/Sequence8/",
      "X-SqXsrfToken":xsrf,
      "config": "Portal"
    },
  dataType: "json",
  contentType: "application/json; charset=utf-8",
  success: function (data) {
  },
  error: function (error) {
    console.log(error);
  }
});
```

## Success Response

**CommandResult** = true