


Catch a Grid Insert Event to Update a Combo Box

Last Modified on 11/28/2017 8:54 am EST

This sample shows how to all the required steps to catch a grid insert event and update a combo box. Add the samples to the relevant code.

- Catch a grid insert event
- Find a combo box
- Check that the combo box has a value
- Update another combo box in the inserted line with the first combo box value if the second combo box is empty

Grid



JavaScript

```
function RaiseCommand(sender, eventArgs) {
    //retrieve the current commandName and commandArgument
    var result = String.format("CommandName: {0}, CommandArgument: {1}", eventArgs.get_commandName(), eventArgs.get_commandArgument());
    if (eventArgs.get_commandName() == 'PerformInsert') {
        var grid = $find(getClientIdById("Grid1"));
        var MasterTable = grid.get_masterTableView();
        var insertedItem = MasterTable.get_insertItem();
        var Rows = MasterTable.get_dataItems();
        var jComboTo = $sq("[id$='RCB_fldCascadeTo']");
        var jComboFrom = $sq("[id$='RCB_fldCascadeFrom']");

        if (jComboTo.length != 0) {
            var comboBoxTo = $find(jComboTo[0].id);
            var cascade_to_value = comboBoxTo.get_value();
            if (cascade_to_value == '' || cascade_to_value == null) {

                var comboBoxFrom = $find(jComboFrom[0].id);
                var cascade_from_value = comboBoxFrom.get_value();
                var cascade_from_text = comboBoxFrom.get_text();
                comboBoxTo.set_value(cascade_from_value);
                comboBoxTo.set_text(cascade_from_text);
            }
        }
    }
}
```