

# RPA InProcessFileBatch

Last Modified on 10/29/2017 9:17 am EDT

The RPA InProcessFileBatch function is triggered from within a Cora Sequence process, and delivers a file to a robot for RPA in a batch mode.

## Method

POST

## URL

[https://{Sequence.Server}/SequenceServices/coraRpaIntegration\\_v1.0.0.asmx](https://{Sequence.Server}/SequenceServices/coraRpaIntegration_v1.0.0.asmx)

## Response Codes

Responses follow standard [HTTP Status Codes](#).

## Input Parameters

Name	Type	Required	Description
TimeOut	integer	required	The interval after which the process stops searching for the result file.
ExternalContext	string	optional	Additional process information.
IsOneWay	boolean	required	Indicates if the process waits for robot results before proceeding.
InputFile	object	required	Defines the location of the source file to send to the robot.
RobotProfile	string	required	Name of the profile that contains the settings for the RPA implementation.
OutPutFile	object	required	Defines the location where the result file is placed.
FileId	guid	required	GUID of the file uploaded to the system in the main product, for example, Update Account. This file is sent to the robot for processing.

## Output Parameters

Name	Type	Description
FileId	guid	GUID of the result file that was uploaded to Cora SeSequence.

## SOAP 1.1 Sample

### Request

```
POST /SequenceServices/coraRpaIntegration_v1.0.0.asmx HTTP/1.1
Host: admindev.pnmsoftlabs.com
Content-Type: text/xml; charset=utf-8
Content-Length: length
SOAPAction: "http://genpact.com/cora/orchestration/rpa/1.0.0/api/InProgressFileBatch"
```

```
guid
string
guid
string
long
guid
string
long
int
long
```

```

guid
string>/RobotProfile>
```

## Response

```
HTTP/1.1 200 OK
Content-Type: text/xml; charset=utf-8
Content-Length: length
```

```
guid
```

## SOAP 1.2 Sample

### Request

```
POST /SequenceServices/coraRpaIntegration_v1.0.0.asmx HTTP/1.1
Host: admindev.pnmsoftlabs.com
Content-Type: application/soap+xml; charset=utf-8
Content-Length: length
```

```
guid
string
guid
string
long
guid
string
long
int
long
```

```
guid
string
```

## Response

```
HTTP/1.1 200 OK
Content-Type: application/soap+xml; charset=utf-8
Content-Length: length
```

```
guid
```