Create an Email Template

Last Modified on 03/26/2018 7:40 am EDT

Overview

The email template is an HTML-based message that enables you to create reusable, dynamic messages. The template can include free text as well as message parameters. You select an email template and define the parameter values in the Email Activity wizard.

Email Template Table

You manage all email templates from the email template table. Navigate to **Administration > Global Settings > Email Templates**.

genpact Orchestration		🔘 Alex 🔻
Administration	Email Templates	÷
Analytics	Edit Name -	Dele
Global Settings	T	
Application Variables	/ (Default Email Template)	
Connection Strings	/ _Attribute Encoding Test	>
Credentials	/Template 5	>
CRM Connections	/ _Template 6	>
Custom Message Types	/ _Template2	>
Email Templates	_Test1	>
External Service Consumers	(H) (1) 2 (H) Page size: 10 (V)	17 items in 2 pag
File Connections		
Global Variables	+ Add New Record	
HTTP Consumers		
In-Process Service Consume		
Jobs Management		
Message Templates		
SharePoint Connections		
SMTP Connections		
WCF Service Consumers		
REST Service Consumers		
Web Service Consumers		
Web Service Listeners		
Workflow Stages		
Lookup Tables		

Default Email Template

There is an out-of-the-box default email template that you can use, or you can copy the default template to use as the base for a new email template.

genpact orche	estration		Alex 🔻
Administration	^	Update Table: Email Templates	
Analytics		Name *	
 Global Settings 		(Default Email Template)	
Application Varia	ables	Template *	
Connection Strin	ngs	<table border="1" border:none;padding-left:30px;height:50px;"="" height="250" style="border-style:solid;border-color:#090909;border</td><td></td></tr><tr><td>Credentials</td><td></td><td>style=" width="940"> (*) (parameters)</table>	
CRM Connection	ns	<div style="font-family:arial;font-size:16px;color:#3C8BEE;"> {{: @subject }} }</div>	
CRM Connection	ns		
Custom Message	e Types	<tr<<td><t< td=""><td></td></t<></tr<<td>	
Email Templates	5	<div_style="font-family:arial;font-size:14px;color:#404040;width:600px;height:100px;vertical-alig< td=""><td></td></div_style="font-family:arial;font-size:14px;color:#404040;width:600px;height:100px;vertical-alig<>	
External Service	Consumers	<pre>{{ - @body }} <!-- d--> </pre>	
File Connections	s	(/tr> (tr)	
Global Variables		<pre><d style="border:none;padding-left:30px;padding-right:30px;height:75px;"> </d> </pre>	

Email Template Parameters

Message parameters are enclosed in double curly brackets, which are also highlighted in yellow. You select parameters from the right panel.

Parameter	Description
@bcc	Users you add to the BCC field on the Recipients tab of the Email Activity wizard.
@body	The content you define in the Body section on the Message tab of the Email Activity wizard.
@cc	Users you add to the CC field on the Recipients tab of the Email Activity wizard.
@from	User that you define in the From field on the Properties tab of the Email Activity wizard.
@subject	The content you define in the Subject section on the Message tab of the Email Activity wizard.
@to	Users you add to the To field on the Recipients tab Email Activity wizard.

genpact Orchestration		Alex 🔻
Administration	Update Table: Email Templates	
Administration Analytics Global Settings Global Settings Connection Strings Credentials CRM Connections CRM Connections CRM Connections CRM Connections External Service Consumers File Connections Global Variables HTTP Consumers In-Process Service Consume Jobs Management	Update Table: Email Templates Name * (Default famil Template) Template Template Template Template Template Template Template Templa	
Message Templates SharePoint Connections		
SMTP Connections		
WCF Service Consumers		
REST Service Consumers		
Web Service Consumers		
Web Service Listeners		
Workflow Stages	Update Cancel	

Use an Email Template in the Email Activity

To use an email template in the Email Activity, you need to select an HTML message format, either **Html** or **Html (Markup only)**.

Message Tab

Where you define the Subject, Body, Email Template, and email message format.

	tivity								Ċ	$\overline{\mathbf{C}}$
ssage	Recipients Attac	chments I	Properties							
Subje	ct									
{act.Ac	tivityAlias} in process #	wf.Workflowl	nstanceld}							
Body										
B	$I \underline{U} \underline{abe} X_2 X^2$	A • 🗞 •	Font Name	Size	* 🗈	🔒 🕲 🋊				
	i = 😫 😣		<u></u>						1	
This r	nessage is in reference	to {act.Activity	Alias} in instanc	e #{wf.Work	flowInstand	eld} of prod	ess {wf.Work	flowAlias}.	-	
									Em	ail messa
	Design								Em	ail messa format
<u>/</u>	Design 🚯 HTML									ail messa format
<u>,</u>	Design 🚯 HTML					Н	tml			ail messa format
	Design					Н	tml			ail messa format
Email						H	tml			ail messa format
Email	Template					Н	tml	~		ail messa format
Email	Template	~								ail messa format
Email	Template		Back	Ne	ext		tml Finish			ail messa format

The users you define in the To, CC, and BCC fields are plugged in to the corresponding message parameters in the email template.	
Email Activity Message Recipients Attachments Properties	?
At least one recipient is required To Email Expression 1;	
2,	
Cc Email Expression 1;	
Bcc	
Back Next Finish Cancel	

Important Notes

When you use an expression that contains HTML content (such as form data, HTML forms, HTML controls, rich text editors) in the body section of the Email Activity, you need to wrap the expression inside {{= }} to render the expression in HTML format. For example, {{= {Form1}.Query("Form1")
 ["Editor1"] }}.