PowerShell Function: Get-CoraSeQuenceSite

Last Modified on 01/12/2021 12:24 pm EST

V9.6

Method

CoraSeQuence.Sites

Description

Gets all the Cora SeQuence sites installed on the server. The returned type is an IIS Site configuration. For more information, see this page.

In addition, this function returns a hashtable named *CoraSeQuenceProperties* that contains the following keys:

- **BuildDate**: The date on which the application was built.
- ApplicationName: The name of the application (ADSS/BRS/JES/Administration/Flowtime/WebAPI).
- **Version**: The version of the application.
- **ProjectName**: The name of the Visual Studio project on which the application was built.
- **ConfigFilePath**: The path to the web.config file.

Syntax



Parameters

-SiteType

Determines which Cora SeQuence site to retrieve: Flowtime or Administration. If this parameter is n ot provided, the function returns both sites.

Required?	true
Position?	named
Default value	
Accept pipeline input?	false
Accept wildcard characte rs?	false

-SitelD

Sets the numeric ID of the site instance.

Required?	false
Position?	named
Default value	1
Accept pipeline input?	false
Accept wildcard characte rs?	false

-AllInstances []

If provided, returns all instances of the site provided in the SiteType parameter.

Required?	true
Position?	named
Default value	False
Accept pipeline input?	false
Accept wildcard characte rs?	false

-AllSites []

If provided, returns all instances of all Cora SeQuence sites.

Required?	false
Position?	named
Default value	False
Accept pipeline input?	false
Accept wildcard characte rs?	false

This function supports these common parameters: Verbose, Debug, ErrorAction, ErrorVariable, War ningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable.

For more information, see about_CommonParameters.

Example

PS C:\>Get-CoraSeQuenceSite -AllSites

PS C:\>Get-CoraSeQuenceSite -SiteType Flowtime -AllInstances

V9.3

Method

CoraSeQuence.Sites

Description

Gets all the Cora SeQuence sites installed on the server. The returned type is an IIS Site configuration. For more information, see this page.

In addition, this function returns a hashtable named CoraSeQuenceProperties that contains the foll owing keys:

- BuildDate: The date on which the application was built.
- ApplicationName: The name of the application (ADSS/BRS/JES/Administration/Flowtime /WebAPI).
- Version: The version of the application.
- ProjectName: The name of the Visual Studio project on which the application was built.
- ConfigFilePath: The path to the

web.config

file.

Syntax

Get-CoraSeQuenceSite [[-SiteType]] []

Parameters

-SiteType

Determines which Cora SeQuence site to retrieve: Flowtime or Administration.

If this parameter is not provided, the function returns both sites.

Required?	false
Position?	1
Default value	

This function supports these common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable.

For more information, see about_CommonParameters.

Example

PS C:\>Get-CoraSeQuenceSite

V9.0

Method

CoraSeQuence.Sites

Description

Gets all the Cora SeQuence sites installed on the server.

Syntax

Get-CoraSeQuenceSite [[-SiteType]] []

Parameters

-SiteType

Determines which Cora SeQuence site to retrieve: Flowtime or Administration.

If this parameter is not provided, the function returns both sites.

Required?	false
Position?	1
Default value	
Accept pipeline input?	false
Accept wildcard charac ters?	false

This function supports these common parameters: Verbose, Debug, ErrorAction, ErrorVariabl e, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable.

For more information, see about_CommonParameters.

Example

PS C:\>Get-CoraSeQuenceSite