

PowerShell Function: Set-CoraSequenceServiceGUID

Last Modified on 09/29/2020 10:00 am EDT

V9.0

Method

CoraSequence.Services

Description

Sets a GUID for a Cora SeQuence service.

Syntax

```
Set-CoraSequenceServiceGUID [[-GUID] ] [-Service] [[-ServiceID] ] []
```

Parameters

-GUID

The GUID to be set. If not provided, a new GUID is generated.

Required?	false
Position?	1
Default value	
Accept pipeline input?	true (ByValue)
Accept wildcard characters?	false

-Service

The type of the Cora SeQuence service: Active Directory Synchronization Service (ADSS), Background Runtime Service (BRS), or Job Execution Service (JES)

Required?	true
Position?	2
Default value	
Accept pipeline input?	false
Accept wildcard characters?	false

-ServiceID

-SERVICEID

The numeric ID of the service instance. Used when you have multiple instances of the same service.

Required?	false
Position?	3
Default value	1
Accept pipeline input?	false
Accept wildcard characters?	false

This function supports these common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable.

For more information, see [about_CommonParameters](#).

Examples

```
PS C:\>Set-CoraSequenceServiceGUID -Service ADSS
```

```
PS C:\>Set-CoraSequenceServiceGUID -GUID "95331979-277a-48d3-88f7-f181dea6259a" -Service BRS -ServiceID 2
```