

# PowerShell Function: Enable-CoraSeQuenceWebApiCORS

Last Modified on 01/12/2021 12:22 pm EST

## V9.6

### Method

CoraSeQuence.sites

### Description

Enables Cross-Origin Resource Sharing (CORS) for all options and all headers on the Cora SeQuence WebAPI site.

### Syntax

```
Enable-CoraSeQuenceWebApiCORS [[-SiteID] ] []
```

### Parameters

#### -SiteID

Sets the numeric ID of the site instance. If not provided, it is set for all instances.

Required?	false
Position?	1
Default value	0
Accept pipeline input?	false
Accept wildcard characters?	false

This function supports these common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable.

For more information, see [about\\_CommonParameters](#).

### Example

```
PS C:\>Enable-CoraSeQuenceWebApiCORS
```

## V9.3

### Method

CoraSeQuence.sites

## Description

Enables Cross-Origin Resource Sharing (CORS) for all options and all headers on the Cora SeQuence WebAPI site.

## Syntax

```
Enable-CoraSeQuenceWebApiCORS []
```

## Parameters

This function supports these common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable.

For more information, see [about\\_CommonParameters](#).

## Example

```
PS C:\>Enable-CoraSeQuenceWebApiCORS
```