

PowerShell Function: Enable-CoraSeSequenceRuntimeLogs

Last Modified on 01/12/2021 12:22 pm EST

V9.6

Method

[CoraSeSequence.sites](#)

Description

Enables runtime logs (svclog) on all installed Cora SeSequence apps.

Syntax

```
Enable-CoraSeSequenceRuntimeLogs -TraceDirectory -ApplicationType [-ApplicationID ] [-AllInstances ] []
```

```
Enable-CoraSeSequenceRuntimeLogs -TraceDirectory []
```

Parameters

-TraceDirectory

Full path to the directory where logs should be stored. If the directory does not exist, it will be created.

Required?	false
Position?	named
Default value	
Accept pipeline input?	false
Accept wildcard characters?	false

-ApplicationType

Enables logs on specific type of application. If not provided, logs will be enabled on all installed applications.

Required?	true
Position?	named
Default value	
Accept pipeline input?	false

Accept wildcard characters?	false
-----------------------------	-------

-ApplicationID

Sets the numeric ID for specific instance of application type to set. Ignored if AllInstances is used.

Required?	false
Position?	named
Default value	1
Accept pipeline input?	false
Accept wildcard characters?	false

-AllInstances []

Enable logs to all instances of the specified application.

Required?	false
Position?	named
Default value	False
Accept pipeline input?	false
Accept wildcard characters?	false

This function supports these common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable.

For more information, see [about_CommonParameters](#).

Example

```
PS C:\>Enable-CoraSequenceRuntimeLogs -TraceDirectory "C:\CoraSequenceLogs"
```

V9.5

Method

[CoraSeQuence.sites](#)

Description

Enables runtime logs (svclog) on all installed Cora SeQuence apps.

Syntax

```
Enable-CoraSeQuenceRuntimeLogs [-TraceDirectory] ] []
```

Parameters

-TraceDirectory

Full path to the directory where logs should be stored. If the directory does not exist, it will be created.

Required?	false
Position?	1
Default value	
Accept pipeline input?	false
Accept wildcard characters?	false

This function supports these common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable.

For more information, see [about_CommonParameters](#).

Example

```
PS C:\>Enable-CoraSeQuenceRuntimeLogs -TraceDirectory "C:\CoraSeQuenceLogs"
```