

PowerShell Function: Disable-CoraSeQuenceJobsLogs

Last Modified on 01/12/2021 12:20 pm EST

V9.6

Method

[CoraSeQuence.sites](#)

Description

Disables jobs logs (svclg) on all instances of installed Cora SeQuence JES and Administration.

Syntax

```
Disable-CoraSeQuenceJobsLogs [[-ServiceID] ] []
```

Parameters

-ServiceID

Sets the numeric ID of the JES service instance. If not provided, the configuration will be applied to all JES instances deployed on the server.

Required?	false
Position?	1
Default value	0
Accept pipeline input?	false
Accept wildcard characters?	false

This function supports these common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable.

For more information, see [about_CommonParameters](#).

Example

```
PS C:\>Disable-CoraSeQuenceJobsLogs
```

V9.5

Method

[CoraSeQuence.sites](#)

Description

Disables jobs logs (svclog) on all instances of installed Cora SeQuence JES and Administration.

Syntax

```
Disable-CoraSeQuenceJobsLogs []
```

Parameters

This function supports these common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable.

For more information, see [about_CommonParameters](#).

Example

```
PS C:\>Disable-CoraSeQuenceJobsLogs
```