

# PowerShell Function: Uninstall-CoraSeQUENCESite

Last Modified on 01/12/2021 12:35 pm EST

V9.6

Method

CoraSeQUENCE.Sites

Description

Uninstalls a Cora SeQUENCE site.

Syntax

```
Uninstall-CoraSeQUENCESite [-SiteType] [[-SiteID] ] []
```

Parameters

**-SiteType**

Determines which Cora SeQUENCE site is uninstalled: Flowtime or Administration or WebAPI.

|                                    |              |
|------------------------------------|--------------|
| <b>Required?</b>                   | <b>true</b>  |
| <b>Position?</b>                   | <b>1</b>     |
| <b>Default value</b>               |              |
| <b>Accept pipeline input?</b>      | <b>false</b> |
| <b>Accept wildcard characters?</b> | <b>false</b> |

**-SiteID**

The numeric ID of the site instance.

|                                    |              |
|------------------------------------|--------------|
| <b>Required?</b>                   | <b>false</b> |
| <b>Position?</b>                   | <b>2</b>     |
| <b>Default value</b>               | <b>1</b>     |
| <b>Accept pipeline input?</b>      | <b>false</b> |
| <b>Accept wildcard characters?</b> | <b>false</b> |

This function supports these common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable.

For more information, see [about\\_CommonParameters](#).

### Example

```
PS C:\>Uninstall-CoraSeQuenceSite -SiteType Flowtime
```