

PowerShell Function: Set-CoraSeQuenceConnectionStringPostgres

Last Modified on 01/19/2022 6:33 am EST

V10.0

Module

CoraSeQuence

Description

Sets the database connection string for all the Cora Orchestration applications, a specific instance of a specific application, or all instances of a specific application.

Syntax

```
Set-CoraSeQuenceConnectionStringPostgres -Server -Port -Database [-EncryptedCredentials ] [-Properties ] -ApplicationType [-ApplicationID ] [-AllInstances] []
```

```
Set-CoraSeQuenceConnectionStringPostgres -Server -Port -Database [-EncryptedCredentials ] [-Properties ] []
```

Parameters

-Server

The name of the server. Standard format, including instance name.

Required?	true
Position?	named
Default value	
Accept pipeline input?	false
Accept wildcard characters?	false

-Port

The name of the port. Standard format, if not default.

Required?	true
Position?	named
Default value	5432
Accept pipeline input?	false

Accept wildcard characters?	false
-----------------------------	-------

-Database

The name of the Cora SeQuence database.

Required?	true
Position?	named
Default value	
Accept pipeline input?	false
Accept wildcard characters?	false

-EncryptedCredentials

The Cora SeQuence-encrypted credentials (username and password). Use the Cora SeQuence Toolkit to encrypt, if needed. If not provided, connectionstring will be set with Integrated Security=SSPI.

Required?	false
Position?	named
Default value	
Accept pipeline input?	false
Accept wildcard characters?	false

-Properties

Hashtable of properties to add to the default connectionstring. Existing keys in the default connectionstring will be overwritten.

Required?	false
Position?	named
Default value	

Accept pipeline input?	false
Accept wildcard characters?	false

-ApplicationType

Sets the connection string to a specific type of application.

Required?	true
Position?	named
Default value	
Accept pipeline input?	false
Accept wildcard characters?	false

-ApplicationID

Sets the numeric ID for a specific instance of the application type to set. Ignored if AllInstances is used.

Required?	false
Position?	named
Default value	1
Accept pipeline input?	false
Accept wildcard characters?	false

-AllInstances []

Sets the connection string to all instances of the specified application.

Required?	false
Position?	named
Default value	False

Accept pipeline input?	false
Accept wildcard characters?	false

This command supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see [about_CommonParameters](#).

Example

```
Set-CoraSeQuenceConnectionStringPostgres -Server "PostgresServer" -Port Port -Database "Sequence" -EncryptedCredentials "dOtg/dWG6Q1TJDvqHLX6SkR33ArkTNyMEYXCBgOjU0RCQnHmN5ZNwfKciBh6dXKChuYGO8X4Y5nUAoHQ3S3tw  
=
```