

Cora Orchestration 10.5 Release Notes

Last Modified on 06/14/2024 2:18 pm EDT

31 JANUARY 2024

Welcome to the Cora Orchestration Release Notes.

As they become available, additions and updates to these release notes can be found [here](#).

What's in the Release Notes?

- About Cora Orchestration
- What's new in Cora Orchestration?
- New features
- General enhancements
- Resolved issues
- Breaking changes
- Deployment

About Cora Orchestration

Cora Orchestration is an Intelligent Business Process Management Suite (iBPMS) that facilitates rapid creation of business process applications that work on top of legacy systems to orchestrate best-of-breed digital solutions and harness human expertise.

Cora Orchestration optimizes business operations by orchestrating analytics, AI, and RPA, leveraging cloud infrastructure and capabilities, and focusing on delivering added value on Azure and Power Platform in the case management domain.

Using Cora Orchestration, an organization transforms customers' experience, increases self-service actions, and improves visibility. The product allows companies to respond to business and regulatory needs with lower development time and cost.

What's new in Cora Orchestration?


Cora Orchestration V10.5 introduces features that increase productivity and enhance user experience. All new features and enhancements aim to revolutionize the way you work, and save you valuable time. Main benefits include:

- Integrated GenAI capabilities as part of workflow execution.
- Optimized portal for enriched user experience.
- Enhanced case processing and conversations.

New features


- Integrate Semantic Kernel service for GenAI capabilities: Cora Orchestration has integrated Semantic Kernel as a service to provide GenAI services. With Semantic Kernel we have introduced a new activity that integrates with GenAI services as part of workflow execution. For details, see [this article](#).
- Translate conversations: Conversation view is now enabled with Azure translations capability. You can enable the translations in conversations and translate the conversations to different languages. For details on enabling translation in conversation, see [this article](#).

- Add a substitute: In Cora Orchestration you can now add a user as a substitute for yourself and for other users. The substitute user will then have all the permissions to perform actions on workflows and portal grids on behalf of the principal user.
For details, see [this article](#).
- Support .EML files in archive retrieval: The retrieval of an archive now supports conversation items and emails in .EML format.
For details, see [this article](#).
- Color indication in case score: We have added a new color indications functionality to case scores. Color indications will help the user to understand the case priority easily and quickly based on the color.
For details, see [this article](#).
- Configure Open and Fetch behavior for a task: As a business user, you can now ask the implementation team to configure the operation performed on clicking a task in the grid either to Open or to Open and Fetch the task.
For previous versions the default operation for click on a task was set to Open and Fetch, so on clicking a task in a grid, the task was opened as well as fetched for the logged in user.
To configure this functionality you need to set an application variable `Portal.Components.Grid.DefaultOpenAction` in the Admin site.
For details, see [this article](#).
- Tab focus time by case and by user: The Azure Application Insights logs the tab focus time, the time for which a case was active in a tab, in the portal. This functionality enables the user to analyze the efficiency with which a case has been processed.
You can generate reports for the product insight on the basis of the tab focus time for a particular case or the tab focus time for a user working on a particular case.
For samples, see [this article](#).
- Add Analytics to favorites: You can now mark specific analytic items as favorites. Adding analytics to favorites provides users easy and quick access to the analytics, saving them time and efforts.
To mark a report as favorite, click the star icon next to the report name on the Analytics tab in the portal.



Click **Show Starred** to view the analytics added as a favorite. Click **Show All** to view all the analytics.


- Add icon to analytics: As a user, you can now set an icon to your analytics items, dashboards and reports. With icons it is easy to identify analytic items with same name.
For details, see [this article](#).
- Add signatures: As an end user you can now add your personalized signatures for email communications.



For details, see [this article](#).

- Option to cancel email sending: As a user, you can now cancel sending an email within a set time period of sending it.

For details, see [this article](#).



The Cancel Send option appears only for emails that are in the status In Queue. However, the time of email sending can be delayed by setting the `JES.EmailSender.DelaySendOfMessagesInQueueBySeconds` application variable in the Admin site.

- Add email template filter criteria via config set: A product support user can now add email template filter criteria via config set. User can upload via the config set a document that lists all the conditions based on which email templates appear in the email composer for selection.

For details, see [this article](#).

- Hide vertical ellipsis menu from the top bar of the case details page: You can now hide the vertical ellipsis menu from the top bar of the case details page. You need to add the `Portal.Forms.Topbar.ShowMenu` in the Admin site.

For details, see [this article](#).

- Set page title in the portal: As a user, you can set a title to your case details page, You need to add a built-in-command to do so.

For details, see [this article](#).


General enhancements

- Case score enhancements: We have enhanced the case score feature to provide more details and easy identification of case priority. You can click the case score displayed in the grid to view score trace in a pop up window that provides details like key, value, rank, and weight in tabular format.

The screenshot shows the Cora Orchestration portal interface. On the left, there is a navigation menu with 'My Work' and a user ID of 41855. Below this, a section titled 'Cases Assigned To Me' contains a dropdown for '- Default View -' and a grid of cases. The grid has a 'Case Score' column with values 5, 18.4, 18.4, and 99. On the right, a 'Score trace' window is open, displaying a score of 18.40 and a table with the following data:

		Rank	Weight
Time to SLA	Not Close, Can Relax	5	65
Title	High	7	30
Title	High	39	59

- Enhanced Observability framework: Observability provides you with monitoring excellence based on the detailed logs and metrics about the system. With all the logs, traces, and metrics, you can gain insight into system health and proactively detect, understand, and resolve issues, achieve faster debugging, and improve system performance and user experience.
For more details, see [this article](#).
- Portal enhancements: For enhanced user experience, we have made the following updates to the Cora Orchestration portal:
 - View portal history: As a user you can now view the portal history of past two weeks. The history feature provides you an easy access to the list of cases you have worked on recently, without having to search manually. You can also click an item from the list to open it in a new tab.
For details, see [this article](#).



- Default sorting of grids based on Case ID: The portal grids are now by default sorted by the Case ID. In previous releases, the default sorting of grids was done on the basis of Important, Next Action Due date, New message, and Score.

ewslistener_nIS

My Work

Cases In Queue

- Default View - Filtered by (0) Sorted by (1)

	Case Score	ID	Next Actio...	Case Effort	Case Due ...
		1955	15/11/2023 23:23	10	14/11/2023 18:42
	100	1666	19/10/2023 11:44	10	18/10/2023 18:42
	100	1663	19/10/2023 11:44	10	18/10/2023 18:42
	100	1657	18/10/2023 13:50	10	17/10/2023 18:42
	100	1647	17/10/2023 12:59	10	16/10/2023 18:42
	100	1638	16/10/2023 13:31	10	15/10/2023 18:42
	100	1551	10/10/2023 11:55	10	09/10/2023 18:42
	100	1525	05/10/2023 15:44	10	04/10/2023 18:42
	100	1230	29/08/2023 14:52	10	28/08/2023 18:42

- Configure default Process page: You can now configure the default Process page by adding the `Portal.DefaultProcessPageGuid` application variable, and setting the value to the required workflowSpace guid.

In Cora Orchestration, Cases I Started is the default Process page under All Cases. The users can view their cases under My Work. They navigate to All Cases to search for a case that is not in any of their queues. In such scenarios, Cases I Started process page as default is irrelevant. So, the users can now configure their own default process page.


For details, see [this article](#).

NOTE

If a user has visited a Process page, then the system considers the last visited Process page as default.

If the application variable is not set, then the last visited Process page or the Case I Started is the default Process page.

- Auto refresh My Task and Notifications count: The My Tasks and Notifications count in the portal is now auto refreshed. The number of notifications auto refreshes when a new notification is received, and the number of My Tasks auto refreshes when a new task is assigned to the user or the user performs an action on the task.
- Attachment actions in the attachments preview: We have provided attachment related action buttons (same as available in the attachments list view) in the preview attachments view. As a user, you can now download an attachment, edit or delete an attachment directly from the attachments preview. From the preview, you can also open an attachment in a new tab.




For details, see [this article](#).

- File Writer activity enhancements: We have enhanced the File Writer activity in Cora Orchestration to


generate documents.

- Support merge and convert actions: You can now use the File writer activity to generate PDF files by merging two or more files.
- Extract from PDF file: You can extract some pages from a file to generate a PDF file.

For details, see [this article](#).




- Email composer enhancements: We have enhanced the email composer in the Cora Orchestration conversations with the following functionalities.
 - Drag and drop in email recipients fields: While composing an email, you can now drag and drop an email from the To field to the Cc or Bcc fields or vice versa.
 - Auto complete email recipients: While composing an email, you can now search for an email address or a name in the email recipients field and the system will fetch and auto complete the email address from the address book.



- Enable or disable email addresses for auto completion in the recipients list: While composing an email, when you add a recipient, you can directly from the recipients field, enable or disable the address for auto completion suggestion.


You can also enable or disable an email address for auto completion suggestion while adding an email address in the address book in the Admin site.

Based on these settings the email address will or will not appear as auto complete suggestion while you compose an email.



- Add custom headers to sent emails: In Cora Orchestration, you can now configure custom headers for emails that are sent from the case conversations. The functionality is optional and the default is no email headers. To enable this functionality, we have made updates to the Email Sender job. For details, see [this article](#).

- Rich Text Editor enhancements: The Rich Text Editor in email conversations and forms now support format painter, format stripper, and insert hyperlink capabilities.



You can now copy formatting from some text in the editor and apply it to other text. You can insert and edit a hyperlink in the text editor.

- Security enhancements: The following security enhancements have been added in this release:
 - Stored cross site scripting (XSS): Added the missing attributes to the form sanitization step.
 - Issue with CSV injection: Added a constraint to the following input fields to prevent entering text that begins with [= + - @ \t \r].
 - First name
 - Last name
 - Username
 - Domain
 - Email

NOTE

The vulnerability is in MS Excel, not in Cora Orchestration. Cora Orchestration exports to CSV, which is a text-based file.


- jQuery UI upgrade to mitigate vulnerabilities: We have upgraded the jQuery UI version to 1.13 to address known vulnerabilities in the older version.
- Version Disclosure: Changed the default setting in the Administration web app config file.

```
customErrors=on
```

- HTTP Strict Transport Security (HSTS) policy not enabled: In the PowerShell module, updated the HTTPS PowerShell configuration command to add the HSTS header.
- For a dynamic task activity, the force persistence is now TRUE by default.

Resolved issues

Component	Issue	Ticket #
Administration	The Credentials table page crashed because of missing Rijndael keys, when upgraded from old versions to V10.4.	1850891
File writer	A PDF generated from URL had blank pages.	1503256

Component	Issue	Ticket #
Graph API	A non active user created in Azure Graph AD was not synced or synced as an active user in Cora Orchestration.	1317661
Grid	The Assigned filter in the My Team Cases grid had issues.	1533265
HTTP listener	<p>HTTP listener activity threw error in yaml.</p> 	1635972
Installation	On upgrade, the PowerShell modules were not installed as expected.	1494797
Job	JES fails to start on upgrade. Could not load file or assembly 'PNMsoft.Sequence.Files.Data.Pdf'.	1811254
	For Azure file storage, the File listener job crashed when you configured File Pattern as *.file extensions (like *.csv).	1521382
Portal	Portal menu stopped working.	-
	Restarting or Refreshing the Portal brought user to a different Process page.	-
Stored procedure	The cleanup stored procedures <code>[SSB].DropQueue</code> and <code>[SSB].DropService</code> were not working.	1337928
Workflow	A user could still start a workflow even when for the workflow the "can be instantiated" property was set to false.	1525033
	New workflow instance was not created when user added a triggered workflow and the master workflow was run.	-

Breaking changes

- You can't import the config set documents from V10.4 to V10.5. As a workaround, recreate the config sets on V10.5, and then link the solution to the newly created config set.
- From V10.5, the only supported crypto algorithm provider is AES, with two operating modes ECB and CBC, and the default operating mode for the AES algorithm is ECB. In V10.5, the Rijndael crypto provider is no longer supported and is replaced by AES CBC. For new installations of V10.4 and above, this is the recommended setting, and it requires no further configuration. However, for V10.3.2 and earlier, you need to set the AES operating mode to CBC to keep the backwards compatibility.

To do that, set the following configuration in all the application config files:

```
<cryptoProvider type="PNMsoft.Sequence.Security.Crypto.AESCryptoProvider, PNMsoft.Sequence.Security, Version=10.0.0.0, Culture=neutral, PublicKeyToken=0a1a1b90c1c5dca1">  
<secretIds keyId="sequence:cryptography:aes:key" saltId="sequence:cryptography:aes:salt"/>  
<options>  
<add name="cipherMode" value="CBC"/>  
</options>  
</cryptoProvider>
```

If you must use AES ECB mode after upgrading from previous versions than V10.4, then you need to delete all the credential entries from the database tables and re-enter from the Administration site. *We recommend to avoid this option though.*

Deployment

Download the release package from the [Cora Orchestration repository](#).

NOTE

Contact [Support](#) to obtain credentials to access the repository.

There are six pre-built application deployment packages available, depending on the type of application that you are deploying. You install each Cora Orchestration application separately.

Site applications	Service applications
<ul style="list-style-type: none">AdministrationCora Orchestration portalWebAPI	<ul style="list-style-type: none">Job Execution Service (JES)Background Runtime Service (BRS)Active Directory Synchronization Service (ADSS)



Click [here](#) to see how to deploy pre-built applications.

For more details on installing and deploying applications, see [this article](#).

Check if you need to upgrade your database for this version.

For more information on *database upgrade* and *post-upgrade procedures*, see [this article](#).

Before upgrade, make sure that you update the PowerShell modules to the relevant version.

For more information, see [this article](#).

Click [here](#) to view a sample PowerShell script. Consider this sample for reference only, and do not copy paste from it.

IMPORTANT

Use Microsoft SQL Server Developer Edition for development purposes **only**.

During upgrade, all product application folders are deleted and redeployed:

- Web and App config files are overwritten in each release. You need to reapply your custom configuration settings after the upgrade.
- All custom files located in the application folders are also deleted. Custom files should be packaged as a custom application NuGet.

Files in the central configuration location are not changed.

For more details, see [this article](#).

For details on Cora Orchestration platform support, see [this article](#).