

PowerShell Function: Disable-CoraSeQuenceWebApiCORS

Last Modified on 07/16/2024 9:22 am EDT

V9.6

Method

CoraSeQuence.sites

Description

Disables Cross-Origin Resource Sharing (CORS) for all options and all headers on the Cora SeQuence WebAPI site.

Syntax

```
Disable-CoraSeQuenceWebApiCORS [[-SiteID] <Int32>] [<CommonParameters>]
```

Parameters

-SiteID <Int32>

Sets the numeric ID of the site instance. If not provided, it is applied to all instances.

Required?	false
Position?	1
Default value	0
Accept pipeline input?	false
Accept wildcard characters?	false

<CommonParameters>

This function supports these common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable.

For more information, see [about_CommonParameters](#).

Example

```
PS C:\>Disable-CoraSeQuenceWebApiCORS
```

V9.3

Method

CoraSeQuence.sites

Description

Disables Cross-Origin Resource Sharing (CORS) for all options and all headers on the Cora SeQuence WebAPI site.

Syntax

```
Disable-CoraSeQuenceWebApiCORS [<CommonParameters>]
```

Parameters

<CommonParameters>

This function supports these common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable.

For more information, see [about_CommonParameters](#).

Example

```
PS C:\>Disable-CoraSeQuenceWebApiCORS
```