

# PowerShell Function: Enable-CoraSeQuenceJobsLogs

Last Modified on 07/16/2024 9:23 am EDT

## V9.6

## Method

CoraSeQuence.sites

## Description

Enables jobs logs (svclog) on all instances of installed Cora SeQuence JES and Administration.

## Syntax

```
Enable-CoraSeQuenceJobsLogs [-TraceDirectory] <String> [[-ServiceID] <Int32>] [<CommonParameters>]
```

## Parameters

### **-TraceDirectory <String>**

Full path to the directory where logs should be stored. If the directory does not exist, it will be created.

Required?	true
Position?	1
Default value	
Accept pipeline input?	false
Accept wildcard characters?	false

### **-ServiceID <Int32>**

Sets the numeric ID of the JES service instance. If not provided, the configuration is applied to all JES instances deployed on the server.

Required?	false
Position?	2
Default value	0
Accept pipeline input?	false
Accept wildcard characters?	false

## <CommonParameters>

This function supports these common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable.

For more information, see [about\\_CommonParameters](#).

## Example

```
PS C:\>Enable-CoraSeQuenceJobsLogs -TraceDirectory "C:\CoraSeQuenceJobsLogs"
```

## V9.5

## Method

[CoraSeQuence.sites](#)

## Description

Enables jobs logs (svclog) on all instances of installed Cora SeQuence JES and Administration.

## Syntax

```
Enable-CoraSeQuenceJobsLogs [-TraceDirectory] <String> [<CommonParameters>]
```

## Parameters

**-TraceDirectory** <String>

Full path to the directory where logs should be stored. If the directory does not exist, it will be created.

Required?	true
Position?	1
Default value	
Accept pipeline input?	false
Accept wildcard characters?	false

## <CommonParameters>

This function supports these common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable.

For more information, see [about\\_CommonParameters](#).

## Example

```
PS C:\>Enable-CoraSeQuenceJobsLogs -TraceDirectory "C:\CoraSeQuenceJobsLogs"
```