

PowerShell Function: Get-CoraSeQUENCEServiceGUID

Last Modified on 07/16/2024 9:29 am EDT

V9.0

Method

CoraSeQUENCE.Services

Description

Gets the current GUID of a Cora SeQUENCE service.

Syntax

```
Get-CoraSeQUENCEServiceGUID [-Service] <Object> [[-ServiceID] <Int32>] [<CommonParameters>]
```

Parameters

-Service <Object>

Determines the type of the seCora SeQUENCE service: Active Directory Synchronization Service (ADSS), Background Runtime Service (BRS), or Job Execution Service (JES).

Required?	true
Position?	1
Default value	
Accept pipeline input?	false
Accept wildcard characters?	false

-ServiceID <Int32>

Sets the numeric ID of the service instance when there are multiple instances of the same service.

Required?	false
Position?	2
Default value	1
Accept pipeline input?	false
Accept wildcard characters?	false

<CommonParameters>

This function supports these common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable.

For more information, see [about_CommonParameters](#).

Examples

```
PS C:\>Get-CoraSeQuenceServiceGUID -Service ADSS
```

```
PS C:\>Get-CoraSeQuenceServiceGUID -Service BRS -ServiceID 2
```