

PowerShell Function: Set-CoraSeSequenceDefaultFilesStorageConfiguration

Last Modified on 07/16/2024 9:39 am EDT

V9.6

Module

CoraSeQuence

Description

Sets the default file storage configuration for all the Cora SeQuence applications installed on the server, except ADSS.

Syntax

```
Set-CoraSeSequenceDefaultFilesStorageConfiguration -ConfigurationName <String> -ApplicationType <String> [-ApplicationID <Int32>] [-AllInstances] [<CommonParameters>]
```

```
Set-CoraSeSequenceDefaultFilesStorageConfiguration -ConfigurationName <String> [<CommonParameters>]
```

Parameters

-ConfigurationName <String>

Sets the name of the file storage configuration. To restore the configuration to the Cora SeQuence SQL database, enter either "Default" or CoraSeQuence.Default.

Required?	true
Position?	named
Default value	
Accept pipeline input?	false
Accept wildcard characters?	false

-ApplicationType <String>

Sets the configuration on a specific type of application. If not provided, configuration is set on all installed apps.

Required?	true
Position?	named

Default value	
Accept pipeline input?	false
Accept wildcard characters?	false

-ApplicationID <Int32>

Sets the numeric ID for a specific instance of the application type to set. Ignored if AllInstances is used.

Required?	false
Position?	named
Default value	1
Accept pipeline input?	false
Accept wildcard characters?	false

-AllInstances [<SwitchParameter>]

Sets the configuration on all instances of the specified application.

Required?	false
Position?	named
Default value	False
Accept pipeline input?	false
Accept wildcard characters?	false

<CommonParameters>

This command supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable.

For more information, see [about_CommonParameters](#).

Examples

```
PS C:\>Set-CoraSeQuenceDefaultFilesStorageConfiguration -ConfigurationName "AzureBlobStorage"
```

V9.2

Module

CoraSeQuence

Description

Sets the default file storage configuration for all the Cora SeQuence applications installed on the server, except ADSS.

Syntax

```
Set-CoraSeQuenceDefaultFilesStorageConfiguration [-ConfigurationName] <String> [<CommonParameters>]
```

Parameters

-ConfigurationName <String>

Sets the name of the file storage configuration. To restore the configuration to the Cora SeQuence SQL database, enter either "Default" or CoraSeQuence.Default.

Required?	true
Position?	1
Default value	
Accept pipeline input?	false
Accept wildcard characters?	false

<CommonParameters>

This command supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable.

For more information, see [about_CommonParameters](#).

Examples

```
PS C:\>Set-CoraSeQuenceDefaultFilesStorageConfiguration -ConfigurationName "AzureBlobStorage"
```