

PowerShell Function: Set-CoraSeQuenceExternalResourcesLocation

Last Modified on 07/16/2024 9:40 am EDT

V9.6

Module

CoraSeQuence.Sites

Description

Sets the location of the external resources virtual directory.

Syntax

```
Set-CoraSeQuenceExternalResourcesLocation [-SiteType <Object>] -DestinationPath <String> [-Credentials <PSCredential>] [<CommonParameters>]
```

```
Set-CoraSeQuenceExternalResourcesLocation -SiteType <Object> -DestinationPath <String> [-Credentials <PSCredential>] [-AllInstances] [<CommonParameters>]
```

```
Set-CoraSeQuenceExternalResourcesLocation -SiteType <Object> -DestinationPath <String> [-Credentials <PSCredential>] [-SiteID <Int32>] [<CommonParameters>]
```

Parameters

-SiteType <Object>

Determines which Cora SeQuence site to set the location for: Flowtime or Administration or WebAPI. If this parameter is not provided, the function sets the location to all the sites.

Required?	false
Position?	named
Default value	
Accept pipeline input?	false
Accept wildcard characters?	false

-DestinationPath <String>

The physical path of the external resources virtual directory.

Required?	true
Position?	named

Default value	
Accept pipeline input?	false
Accept wildcard characters?	false

-Credentials <PSCredential>

If required, provides the credentials to be used to access the `DestinationPath` . That is, the user defined in the *Connect As* property.

For on-premises implementations, the user that connects from:

- The Administration application, needs read/write permissions.
- The Flowtime application, needs read permissions only.

Required?	false
Position?	named
Default value	
Accept pipeline input?	false
Accept wildcard characters?	false

NOTE

If you do not enter credentials, the system uses the credentials currently configured.

-SiteID <Int32>

Sets the numeric ID of the site instance.

Required?	false
Position?	named
Default value	1
Accept pipeline input?	false
Accept wildcard characters?	false

-AllInstances [<SwitchParameter>]

If provided, this parameter sets all instances of the site provided in the SiteType parameter.

Required?	false
Position?	named
Default value	False
Accept pipeline input?	false
Accept wildcard characters?	false

<CommonParameters>

This command supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable.

For more information, see [about_CommonParameters](#).

Examples

```
PS C:\>Set-CoraSeQuenceExternalResourcesLocation -SiteType Administration -DestinationPath "\\MyServer\ExternalResources" -Credentials (Get-Credential)
```

```
PS C:\>Set-CoraSeQuenceExternalResourcesLocation -DestinationPath "C:\ExternalResources"
```

V9.0

Module

CoraSeQuence.Sites

Description

Sets the location of the external resources virtual directory.

Syntax

```
Set-CoraSeQuenceExternalResourcesLocation [[-SiteType] <Object>] [-DestinationPath] <String> [[-Credentials] <PSCredential>] [<CommonParameters>]
```

Parameters

-SiteType <Object>

Determines which Cora SeQuence site to set the location for: Flowtime or Administration. If this parameter is not provided, the function sets the location to both sites.

Required?	false
Position?	1
Default value	
Accept pipeline input?	false
Accept wildcard characters?	false

-DestinationPath <String>

The physical path of the external resources virtual directory.

Required?	true
Position?	2
Default value	
Accept pipeline input?	false
Accept wildcard characters?	false

-Credentials <PSCredential>

If required, provides the credentials to be used to access the `DestinationPath` . That is, the user defined in the *Connect As* property.

For on-premises implementations, the user that connects from:

- The Administration application, needs read/write permissions.
- The Flowtime application, needs read permissions only.

Required?	false
Position?	3
Default value	
Accept pipeline input?	false
Accept wildcard characters?	false

NOTE

If you do not enter credentials, the system uses the credentials currently configured.

<CommonParameters>

This command supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable.

For more information, see [about_CommonParameters](#).

Examples

```
PS C:\>Set-CoraSeQuenceExternalResourcesLocation -SiteType Administration -DestinationPath "\\MyServer\ExternalResources" -Credentials (Get-Credential)
```

```
PS C:\>Set-CoraSeQuenceExternalResourcesLocation -DestinationPath "C:\ExternalResources"
```