

PowerShell Function: Set-CoraSeQuenceSiteSecurityConfiguration

Last Modified on 07/16/2024 9:44 am EDT

V9.6

Method

CoraSeQuence.Sites

Description

Configures Cora SeQuence sites for HTTP or HTTPS, and detects the protocol automatically.

Syntax

```
Set-CoraSeQuenceSiteSecurityConfiguration [[-SiteType] <String>] [[-SiteID] <Int32>] [-AllInstances] [<CommonParameters>]
```

Parameters

-SiteType <String>

Determines the type of site. Whether it is Flowtime, Administration, or WebAPI. If not specified, all installed sites are set.

Required?	false
Position?	1
Default value	
Accept pipeline input?	false
Accept wildcard characters?	false

-SiteID <Int32>

Sets the numeric ID of the site instance. Ignored if SiteType is not provided.

Required?	false
Position?	2
Default value	1
Accept pipeline input?	false
Accept wildcard characters?	false

-AllInstances [<SwitchParameter>]

If provided, this parameter returns all instances of the site provided in the SiteType parameter.

Required?	false
Position?	named
Default value	False
Accept pipeline input?	false
Accept wildcard characters?	false

<CommonParameters>

This function supports these common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable.

For more information, see [about_CommonParameters](#).

Example

```
PS C:\>Set-CoraSeQuenceSiteSecurityConfiguration -SiteType Administration
```

V9.4.3

Method

CoraSeQuence.Sites

Description

Configures Cora SeQuence sites for HTTP or HTTPS, and detects the protocol automatically.

Syntax

```
Set-CoraSeQuenceSiteSecurityConfiguration [[-SiteType] <Object>] [-Protocol] <Object> [<CommonParameters>]
```

Parameters

-SiteType <Object>

Determines the type of site. Whether it is Flowtime, Administration, or WebAPI. If not specified, all installed sites are set.

Required?	false
Position?	1
Default value	
Accept pipeline input?	false
Accept wildcard characters?	false

<CommonParameters>

This function supports these common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable.

For more information, see [about_CommonParameters](#).

Example

```
PS C:\>Set-CoraSeQuenceSiteSecurityConfiguration -SiteType Administration
```