

# Database Upgrade Paths

Last Modified on 02/13/2024 9:59 am EST

Starting with V10.0, Cora SeSequence has been renamed to Cora Orchestration.

Follow this chart when planning your Cora SeSequence upgrade.

## IMPORTANT

This article relates to the *database* upgrade and *post-upgrade* procedures only.

Cora SeSequence V9.0 and later applications are immutable and cannot be upgraded. Each application deployment overwrites the previous one. You only need to deploy the applications based on the database version.

Target version	Source version	Pre-upgrade actions	Post-upgrade actions	Minor upgrade path
10.5.0	10.4.x	-	-	-
10.4.0	10.3.x	-	-	→10.4.1
10.3.1	10.3.0	Yes	-	-
10.3.0	10.2.x	-	Yes	→10.3.1
10.2.0	9.9.x	-	Yes	-
9.9.0	9.8.4	Yes	-	→9.9.1→9.9.2
9.8.0	9.5.x 9.6.x 9.7.x	Yes	-	→9.8.1→9.8.3→9.8.4
9.7.0	9.5.x 9.6.x	-	-	→9.7.1
9.6.0	9.5.x	-	-	→9.6.1→9.6.2
9.5.0	9.4.x	-	Yes	→9.5.1
9.4.0	9.3.x	-	Yes	→9.4.1→9.4.2→9.4.3→9.4.4
9.3.0	9.2.x 9.0.x	-	Yes	→9.3.1→9.3.4
9.2.0	9.0.x	-	-	-
9.0.0.	8.8.x	Yes	-	-

Target version	Source version	Pre-upgrade actions	Post-upgrade actions	Minor upgrade path
8.8.0	-	-	-	-

- Pre-upgrade actions: You need to perform specific tasks before upgrading your database. These tasks can be running SQL scripts or performing manual actions. For example, before upgrading the database to V9.x, you need to do some cleanup.
- Post-upgrade actions: You need to perform additional tasks after deploying the database. These tasks are not mandatory for the current version but need to be executed before upgrading to the next version. For example, some Email Listener's tables changed in V9.3. So, V9.3 systems can work with the previous tables or the changed ones, but V9.4 systems will work only with the changed tables.

#### NOTE

Unless stated otherwise, when you deploy a minor version, consider the upgrade path relevant to its major version. For example, to deploy V9.4.1 consider the pre and post-upgrade actions relevant for V9.4. You can upgrade from V9.3 to V9.4 even if V9.5 is already available, but you still need to perform V9.3 post-upgrade actions.

### Before you upgrade to V10.3.1

To upgrade to V10.3.1 from any previous version, you must upgrade to V10.3 first.

[Download](#) the 10.3 dacpac file here.

### After you upgrade to V10.3

After deploying V10.3 (new installation or upgrade), you need to run the following.

- *AddPreviewToExistingConversationItems* script to add a preview line to the already existing conversation item headers.

```

DECLARE @Take int = 2
DECLARE @Skip int = 0
DECLARE @maxChars int = 255
CREATE TABLE #TempPreviewBodyTable (fldId int)
INSERT INTO #TempPreviewBodyTable
SELECT fldId FROM tblWorkflowInstanceConversations c
CROSS APPLY OPENJSON(c.fldProperties) j
WHERE j.[key] = 'PreviewBody'
DECLARE @totalLen int= (select count(*) from tblWorkflowInstanceConversations
                        where fldId not in (select fldId from #TempPreviewBodyTable )
                        )
WHILE @Skip < @totalLen
BEGIN
    update tblWorkflowInstanceConversations
    set fldProperties = JSON_MODIFY(fldProperties, '$."PreviewBody"',
        iif(LEN(ISNULL(fldBody, '')) > @maxChars, LEFT( [dbo].[fnRT_StripHTML](ISNULL(fldBody,
        '')), @maxChars) + '...'
        ,[dbo].[fnRT_StripHTML](ISNULL(fldBody, ''))))
    where fldId not in (select fldId from #TempPreviewBodyTable
        ORDER BY fldId OFFSET @Skip ROWS FETCH NEXT @Take ROWS ONLY )
    set @Skip = @Skip + @Take
END
DROP TABLE #TempPreviewBodyTable

```

- Delete unused languages from [tblLanguages]

```

delete from tblLanguages
where fldCulture in ('he-IL','ja-JP','nl-NL','pt-PT');

```

- Replace unused languages in [tblEmployees] with a supported language. For example, British English (en-GB).

```

update tblEmployees
set fldLanguage = 'en-GB'
where fldLanguage in ('he-IL','ja-JP','nl-NL','pt-PT');

```

## After you upgrade to V10.2

After deploying V10.2 (new installation or upgrade), you need to run the following SQL scripts.

- Delete unused languages from [tblLanguages]

```

delete from tblLanguages
where fldCulture in ('fr-FR','he-IL','ja-JP','nl-NL','pt-PT');

```

- Replace unused languages in [tblEmployees] with a supported language. For example, British English (en-GB).

```

update tblEmployees
set fldLanguage = 'en-GB'
where fldLanguage in ('fr-FR','he-IL','ja-JP','nl-NL','pt-PT');

```

## Before you upgrade to V9.9

When you upgrade from V9.8, follow this upgrade path: V9.8.3 → V9.8.4.

## Before you upgrade to V9.8

To upgrade to V9.8 from any previous version, you must upgrade to V9.7.1 first.

[Download](#) the 9.7.1 dacpac file here.

## After you upgrade to V9.5 and V9.5.1

To enable old Email Listener activities to use unified email listener tables *tblEmailListenerMessages* and *tblEmailListenerMessageAttachments* instead of UACT tables, download and run the Email Listener post-deployment scripts in the following order:

1. `UnifiedEmailListenerMigrationScript.sql`
2. `PostEmailListenerDatamodelMigrationScript.sql`
3. `MoveIndexesToRightFilegroups.sql`

[Download](#) the post-upgrade scripts here.

## After you upgrade to V9.4

For the archiving database, configure to run `PartitionMaintenancePlan.sql` script every month to create an additional partition.

For details on how to configure, see the Deploy archive database section in [this article](#).

In addition, you may run `PROCEDURE [dbo].[spArchiving_AddBulkWorkflowInstanceToExclusionList]` script to add in bulk, the list of workflow instances to exclude from archiving.

[Download](#) the post-upgrade script here.

## After you upgrade to V9.3

Run a post-upgrade script that changes the `fldrequest` and `fldresponse` column types of the UACT tables from XML to NVARCHAR(MAX). The time required to run the script depends on the number of UACT tables in your database and their size. To estimate the overall time required, run the script on a *copy* of the production database.

[Download](#) the post-upgrade script here.

### NOTE

Contact [Support](#) to obtain credentials to access the Cora SeSequence repository and download the post-upgrade scripts.

## After you upgrade to V9.0

[Download](#) and run the post-upgrade script.